HOSPITAL MENTAL CARE - 2001

Count of Prim Diag		Age grp in Yrs					
							Grand
PRIMARY Diagnosis	Sex	B: 16-25	C: 26-35	D: 36-45	E: 46-55	F: 56-65	Total
M&B disorder due to use of alcohol (dependence syndrome)	F	1		4	1		6
	М		2		1	1	4
M&B disorder due to use of alcohol (dependence syndrome) Total		1	2	4	2	1	10
M&B disorder due to alcohol use (dependence syndrome & withdrawal state)	F		1				1
M&B disorder due to alcohol use (dependence syndrome & withdrawal state) Total			1				1
Psychotic disorder due to use of Cannabinoids	м	1	1				2
Psychotic disorder due to use of Cannabinoids Total		1	1				2
M&B disorder due to use of Cocaine	М			1			1
M&B disorder due to use of Cocaine Total				1			1
M&B disorder due to use of Coccaine (Dependence syndrome)	F			1	1		2
	Μ	1		4			5
M&B disorder due to use of Coccaine (Dependence syndrome) Total		1		5	1		7
M&B disorder due to multiple drug use	-						
(Dependence syndrome)	F M	1	3	3	2		3 11
M&B disorder due to multiple drug use	171		_				
(Dependence syndrome) Total		1	8	3	2		14
Grand Total		4	12	13	5	1	35
NOTE: A total of 35 admissions (34 persons) for Detox were made to the Medical wa and 23 males. (One female patient was admitted twice; all others, once).	rd in the year 2	001; 11 females					
The number of males admitted doubled the number of females.							
Average length of stay for females and males were both 5 days; with exception	n of one long te	rm for male: 11 days.					
The age group most affected were 26-35 and 36-45 and accounts for 71 % of	total admission	s for Detox.					
The 3 leading reason for admission were: 'multiple drug use' (14), followed by	alcohol (10) an	d cocaine (7).					
M&B: Mental and behavioural.							